

Consumer Product Catalog

One Connection • Infinite Possibilities

www.dlink.com Version 2025Q1



Table of Contents

- p.04 About D-Link
- p.06 **Digital Home**
- p.08 AQUILA PRO AI
 - Home Wi-Fi
 - IoT Gateway
- p.12 **EAGLE PRO AI**
 - Home Wi-Fi
- p.18 Home IoT
 - Smart Plug
- p.20 Wi-Fi Camera
 - Indoor Camera
 - Outdoor Camera
- p.24 Adapter
 - Wi-Fi USB Adapter
 - PCle Adapter
- Product Lists

About D-Link

D-Link, a renowned global brand and leader in the networking industry, was established in 1987 in Taiwan. With operations in 90 locations across 43 countries, D-Link provides networking solutions for individuals, homes, businesses, and industries, including a comprehensive range of industry-leading network solutions and AI-driven cloud management services. With nearly four decades of experience, D-Link has accumulated loyal clients and dependable partners worldwide.

Since joining the Taiwan Steel Group in 2020, D-Link embraces "MIT quality, stylish design, smarter living, superior performance, and eco-friendliness" as the cornerstone of its brand identity. Our products prioritize intelligence, superior MIT quality, and sustainability, while also demonstrating excellence in corporate governance, sustainability, and design. D-Link 's remarkable achievements are acknowledged on a global scale.

Anticipating the future, D-Link will maximize synergy, strengthen leadership in the networking industry, continue the legacy of innovation and excellence, and realize the vision of "One Connection • Infinite Possibilities."

MIT QUALITY



Taiwanese engineering excellence—precision, reliability, and innovation at its core.

CREATE INNOVATION



Pioneering next-gen networking through visionary R&D and user-centric design.

SOLUTION ORIENTED



Intelligent, adaptable solutions empowering homes, businesses, and industries.

ONE-STOP SERVICE




Comprehensive solutions with seamless support for an effortless experience.

SUSTAINABLE DESIGN



Eco-conscious innovation with energy-efficient tech and green packaging for a sustainable future.



35+ Years of networking experience

90

Sales offices in 43 countries


30

RMA centers

1590+ Employe globally

Digital Home

Explore the ultimate smart home solution with D-Link's comprehensive digital home products to enrich your intelligent life. Our state-of-the-advanced home Wi-Fi systems, intuitive home IoT devices, and secure Wi-Fi cameras, all designed to integrate seamlessly for a fully connected living experience. Now featuring the latest in wireless technology, Wi-Fi 7 and Matter compatibility, D-Link ensures your home is equipped with the fastest, most reliable, and universally compatible network. Elevate your home's intelligence and security with D-Link, and step into a future where technology and convenience converge to create the perfect living environment.





The Latest Technology

D-Link harnesses cutting-edge technologies like Matter, Wi-Fi HaLow, and AI algorithms to enhance and simplify your life.



Smart Home Solution

D-Link's smart home products, certified with the Matter standard, ensure seamless interoperability, enhanced security, and simplified multi-platform setup.



Easy Interconnectivity

Seamlessly integrate smart devices for true wireless home automation via the Internet.



Personalized Comfort

Tailor your home with automated settings to enhance your living quality.



Increased Convenience

Manage electricity, sensing, surveillance, and more remotely, bringing smart living control to your fingertips from anywhere in the world.



Increased Safety

Enhance home security with 24/7 real-time monitoring and instant alert notifications, ensuring a safer home for residents.



Wi-Fi Router

Enhanced Security

Employ WPA3 encryption and cybersecurity certification to safeguard IoT devices and Wi-Fi networks, with parental controls for safer kids' online activities.



Improved Energy Efficiency

Monitor schedule and put a threshold on the electricity consumption to save energy bills and reduce the carbon footprint.



Home Wi-Fi

Mesh Router

W

Wi-Fi Extender IoT Gateway



Home IoT

Smart Plug



Home Wi-Fi

Indoor Camera

Outdoor Camera



Adapter

Wi-Fi USB Adapter

PCIe Adapter

6 Consumer Product Catalog

AQUILAPRO Al Series

Designed with a blend of elegance and functionality, the cutting-edge AQUILA PRO AI Mesh Wi-Fi system delivers premium Al-optimized Wi-Fi 7 performance, unrivaled speed, extreme capacity, and impressive range to meet the most demanding home networks. Say goodbye to dead spots and buffering. Embrace a fast and reliable whole-home Wi-Fi with the AQUILA PRO AI Series.





360° Spherical Coverage

Say goodbye to weak signals and dead zones. Our advanced antenna design gears toward seamless Wi-Fi connectivity and performance.



Easy Setup & Management

Effortlessly set up your smart home and just one-tap control for your smart life management.



AI-Powered Technology

Featuring a built-in AI algorithm to ensure the reliable Wi-Fi connection throughout your home.



Ultra-Fast Speed

Enjoy true 8K streaming, buffer-free gaming and smooth video calls simultaneously.



Secure Network

Safeguard your home network with the ETSI EN 303 645 cybersecurity standard, parental controls, guest Wi-Fi, and WPA3™ encryption.



Aesthetic Design

AQUILA PRO Al's eagle-inspired design and feather-patterned ventilation blends beauty and performance.



Go Green

Embracing sustainability with a post-consumer recycled casing, green packaging, efficient ventilation, and health mode.



Voice Control

Voice control works with Amazon Alexa or Google Assistant.



BE9500 Wi-Fi 7 Smart Mesh Router

M95

- Wi-Fi 7 for ultra fast speed
- 2.4GHz, 5GHz & 6GHz tri-band
- 3 x 2.5 Gbps LAN ports, 1 x 2.5 Gbps WAN port
- Mesh roaming for optimal connection
- Free AQUILA PRO AI app



BE9500 Wi-Fi 7 Smart Router

R95

- Wi-Fi 7 for ultra fast speed
- 2.4GHz, 5GHz & 6GHz tri-band
- 3 x 2.5 Gbps LAN ports, 1 x 2.5 Gbps WAN port
- External antennas for enhanced signal flexibility
- Free AQUILA PRO AI app



AX6000 Wi-Fi 6 Smart Mesh Router

M60

- · Wi-Fi 6 for fast speed
- · 2.4GHz & 5GHz dual-band
- 4 Gbps LAN ports, 1 x 2.5Gbps WAN port
- Mesh roaming for optimal connection
- Free AQUILA PRO AI app



BE3600 Wi-Fi 7 Smart Mesh Router M30

- Wi-Fi 6 for fast speed
- 2.4GHz & 5GHz dual-band
- 4 x Gbps LAN ports, 1 x Gbps WAN port
- Mesh roaming for optimal connection
- Free AQUILA PRO AI app



AX3000 Wi-Fi 6 IoT Gateway (MS30)

Matter-certified

- IoT gateway AX3000
- Wi-Fi 6 and Thread protocols
- 4 x Gbps LAN ports, 1 x 2.5 Gbps WAN port
- Free AQUILA PRO AI app

AX3000 Wi-Fi 6 Mesh Extender

- Use wall plug, space-saving design
- Wi-Fi 6 for fast speed
- AX3000, 2.4GHz & 5GHz dual-band
- 1 x Gbps LAN port
- Free AQUILA PRO AI app

| Model | М95 | R95 | M60 |
|---------------|-----|-----|-----|
| Product Image | | | |
| Communi | | | |

| General | | | |
|-------------------------|---|---|---|
| Product Category | Mesh Wi-Fi Router | Wi-Fi Router | Mesh Wi-Fi Router |
| Wireless Standard | Wi-Fi 7 BE9500 | Wi-Fi 7 BE9500 | Wi-Fi 6 AX6000 |
| Wireless Speed | 2.4GHz up to 688 Mbps 5GHz up to 2882 Mbps 6GHz up to 5764 Mbps | 2.4GHz up to 688 Mbps 5GHz up to 2882 Mbps 6GHz up to 5764 Mbps | 2.4GHz up to 1148 Mbps 5GHz up to 4804 Mbps |
| Antenna Type | 2 x 2.4GHz/5GHz Internal 2 x 6GHz Internal | 2 x 2.4GHz/5GHz External 2 x 6GHz External | 4 x 2.4GHz Internal 4 x 5GHz Internal |
| Ethernet Ports | 1 x 2.5 Gigabit WAN Port 3 x 2.5 Gigabit LAN Ports | 1 x 2.5 Gigabit WAN Port 3 x 2.5 Gigabit LAN Ports | 1 x 2.5 Gigabit WAN Port 4 x Gigabit LAN Ports |
| WAN Speed | 2.5 Gbps | 2.5 Gbps | 2.5 Gbps |
| Number of WAN Ports | 1 | 1 | 1 |
| LAN Speed | 2.5 Gbps | 2.5 Gbps | 1 Gbps |
| Number of LAN Ports | 3 | 3 | 4 |
| Bluetooth Low Energy | - | - | - |
| Thread | - | - | - |
| Coverage | 2,800 sq. ft. | 2,800 sq. ft. | 3,000 sq. ft. |
| Functionality | | | |
| Security Protocol | WPA2/WPA3/OWE | WPA2/WPA3/OWE | WPA2/WPA3 |
| D-Link Wi-Fi Mesh | • | • | • |
| Access Control | | Parental Controls/ Guest Zone | 2 |
| Operation Modes | Router/ Extender/ Bridge | Router/ Extender/ Bridge | Router/ Extender/ Bridge |
| AI Assistant | • | • | • |
| AI Wi-Fi Optimizer | • | • | • |
| AI Traffic Optimizer | • | • | • |
| Software | | | |
| Device Management | | AQUILA PRO AI App / Web UI | |
| Voice Assistants | | Amazon Alexa/ Google Assista | nt |


| Model | M30 | MS30 | E30 |
|-------------------------|---|---|---|
| Product Image | | | a constant |
| General | | | |
| Product Category | Mesh Wi-Fi Router | IoT Gateway | Wi-Fi Range Extender |
| Wireless Standard | Wi-Fi 6 AX3000 | Wi-Fi 6 AX3000 | Wi-Fi 6 AX3000 |
| Wireless Speed | 2.4GHz up to 574 Mbps 5GHz up to 2402 Mbps | 2.4GHz up to 574 Mbps 5GHz up to 2403 Mbps | 2.4GHz up to 574 Mbps 5GHz up to 2402 Mbps |
| Antenna Type | 2 x 2.4GHz Internal 3 x 5GHz Internal | 2 x 2.4GHz Internal 3 x 5GHz Internal | 2 x (2.4GHz/5GHz) Internal 1 x 5GHz Internal |
| Ethernet Ports | 1 x Gigabit WAN Port 4 x Gigabit LAN Ports | 1 x Gigabit WAN Port 4 x Gigabit LAN Ports | 1 x Gigabit LAN Port |
| WAN Speed | 1 Gbps | 1 Gbps | - |
| Number of WAN Ports | 1 | 1 | - |
| LAN Speed | 1 Gbps | 1 Gbps | 1 Gbps |
| Number of LAN Ports | 4 | 4 | 1 |
| Bluetooth Low Energy | - | BLE 5.3 | - |
| Thread | - | Thread 1.3 | - |
| Coverage | 2,800 sq. ft. | 2,800 sq. ft. | 2,800 sq. ft. |
| Functionality | | | |
| Security Protocol | WPA2/WPA3 | WPA2/WPA3 | WPA2/WPA3 |
| D-Link Wi-Fi Mesh | • | • | • |
| Access Control | | Parental Controls/ Guest Zon | е |
| Operation Modes | Router/ Extender/ Bridge | Router/ Extender/ Bridge | Extender/ Access Point |
| AI Assistant | • | • | • |
| AI Wi-Fi Optimizer | • | • | • |
| AI Traffic Optimizer | • | • | • |
| Software | | | |
| Device Management | | AQUILA PRO AI App / Web UI | [|
| Voice Assistants | | Amazon Alexa/ Google Assista | nt |



Home Wi-Fi

EAGLEPRO Al Series

Imagine Wi-Fi so intelligent, it continuously adapts to both its surroundings and your usage patterns to deliver faster, more stable connections to all your devices. Welcome to the EAGLE PRO AI Wi-Fi 6 Mesh System, the epitome of AI-enhanced connectivity. This cutting-edge series contributes to expandability and performance to create an intelligent mesh Wi-Fi network that enables stable and seamless connectivity throughout your home.





Seamless Wi-Fi

One single mesh Wi-Fi network provides seamless roaming.



AI Wi-Fi Optimizer

Intelligent continuous channel monitoring ensures your connection utilizes the channel available.



AI Traffic Optimizer

Smart QoS ensures uninterrupted gaming, voice calls, and video streaming for the optimal network performance.



AI Parental Control

Easily manage your children's online experience to keep them safe and with time limits and web filtering.



AI Assistant

Smart network monitoring and provides recommendations to optimize performance.



Easy Management

Set up and manage your EAGLE PRO AI mesh network with ease.



Voice Control

Voice control works with Amazon Alexa or Google Assistant.



Secure Network

Compliant with the latest security standards such as WPA3™ and IEC 62443-4-1.



AX3200 Wi-Fi 6 Mesh Router

M32

- · Wi-Fi 6 for fast speed
- 2.4GHz & 5GHz dual-band
- 2 x Gbps LAN ports, 1 x Gbps WAN port
- Mesh roaming for optimal connection
- Free EAGLE PRO AI app



AX3200 Wi-Fi 6 Smart Router

R32

- Wi-Fi 6 for fast speed
- 2.4GHz & 5GHz dual-band
- 4 x Gbps LAN ports, 1 x Gbps WAN port
- External adjustable antenna
- Free EAGLE PRO AI app



AX1500 Wi-Fi 6 Smart Router

R15

- · Wi-Fi 6 for fast speed
- 2.4GHz & 5GHz dual-band
- 3 x Gbps LAN ports, 1 x Gbps WAN port
- External adjustable antenna
- Free EAGLE PRO AI app



AX1500 Wi-Fi 6 Mesh Router

M15

- Wi-Fi 6 for fast speed
- 2.4GHz & 5GHz dual-band
- 1 x Gbps LAN port, 1 x Gbps WAN port
- Mesh roaming for optimal connection
- Free EAGLE PRO AI app



AX1800 Wi-Fi 6 Smart Router

R18

- Wi-Fi 6 for fast speed
- 2.4GHz & 5GHz dual-band
- 3 x Gbps LAN ports, 1 x Gbps WAN port
- External adjustable antenna
- Free EAGLE PRO AI app



AC1200 Wi-Fi 5 Smart Router

(R12)

- Wi-Fi 5 technology
- 2.4GHz & 5GHz dual-band
- 4 x Gbps LAN ports, 1 x Gbps WAN port
- External adjustable antenna
- Free EAGLE PRO AI app



N300 Wi-Fi 4 Smart Router

- Wi-Fi 4 technology
- 4 x 10/100 Mbps Ethernet LAN ports
- 1 x 10/100 Mbps Ethernet WAN port
- External adjustable antenna
- Free EAGLE PRO AI app



AX1500 Wi-Fi 6 Mesh Extender

E15

- Use wall plug, space-saving design
- Wi-Fi 6 for fast speed
- 2.4GHz & 5GHz dual-band
- 1 x Gbps LAN port
- Free EAGLE PRO AI app



N300 Wi-Fi 4 Smart Router

- Wi-Fi 4 technology
- 4 x 10/100 Mbps Ethernet LAN ports
- 1 x 10/100 Mbps Ethernet WAN port
- External adjustable antenna
- Free EAGLE PRO AI app

EAGLE PRO AI Series

| Model | M32 | M15 | R32 | |
|----------------------|---|---|---|--|
| Product Image | | D-Link | | |
| General | | | | |
| Product Category | Mesh Wi-Fi Router | Mesh Wi-Fi Router | Wi-Fi Router | |
| Wireless Standard | Wi-Fi 6 AX3200 | Wi-Fi 6 AX1800 | Wi-Fi 6 AX3200 | |
| Wireless Speed | 2.4GHz up to 800 Mbps 5GHz up to 2402 Mbps | 2.4GHz up to 574 Mbps 5GHz up to 1201 Mbps | 2.4GHz up to 800 Mbps 5GHz up to 2402 Mbps | |
| Antenna Type | 4 x (2.4GHz/5GHz) Internal | 2 x 2.4GHz Internal 2 x 5GHz Internal | 4 x (2.4GHz/5GHz) External | |
| Ethernet Ports | 1 x Gigabit WAN Port 2 x Gigabit LAN Ports | 1 x Gigabit WAN Port 1 x Gigabit LAN Port | 1 x Gigabit WAN Port 4 x Gigabit LAN Ports | |
| WAN Speed | 3,000 sq. ft. | 2,600 sq. ft. | 3,000 sq. ft. | |
| Number of WAN Ports | 1 | 1 | 1 | |
| LAN Speed | 1 Gbps | 1 Gbps | 1 Gbps | |
| Number of LAN Ports | 2 | 1 | 4 | |
| Coverage | 3,000 sq. ft. | 2,300 sq. ft. | 3,000 sq. ft. | |
| Functionality | | | | |
| Security Protocol | WPA2/WPA3 | WPA2/WPA3 | WPA2/WPA3 | |
| D-Link Wi-Fi Mesh | • | • | • | |
| Access Control | | Parental Controls / Guest zon | е | |
| Operation Modes | Router/ Extender/ Bridge | Router/ Extender/ Bridge | Router/ Extender/ Bridge | |
| AI Assistant | • | • | • | |
| AI Wi-Fi Optimizer | • • | | • | |
| AI Traffic Optimizer | • • | | | |
| Software | | | | |
| Device Management | | EAGLE PRO AI App / Web UI | | |
| Voice Assistants | | Amazon Alexa / Google Assista | ant | |

| Model | R18 | R15 | R12 |
|----------------------|---|---|---|
| Product Image | | | |
| General | | | |
| Product Category | Wi-Fi Router | Wi-Fi Router | Wi-Fi Router |
| Wireless Standard | Wi-Fi 6 AX1800 | Wi-Fi 6 AX1500 | Wi-Fi 5 AC1200 |
| Wireless Speed | 2.4GHz up to 574 Mbps 5GHz up to 1201 Mbps | 2.4GHz up to 300 Mbps 5GHz up to 1201 Mbps | 2.4GHz up to 300 Mbps 5GHz up to 867 Mbps |
| Antenna Type | 2 x 2.4GHz External 2 x 5GHz External | 2 x 2.4GHz External 2 x 5GHz External | 2 x 2.4GHz External 2 x 5GHz External |
| Ethernet Ports | 1 x Gigabit WAN Port 3 x Gigabit LAN Ports | 1 x Gigabit WAN Port 3 x Gigabit LAN Ports | 1 x Gigabit WAN Port 4 x Gigabit LAN Ports |
| WAN Speed | 1 Gbps | 1 Gbps | 1 Gbps |
| Number of WAN Ports | 1 | 1 | 1 |
| LAN Speed | 1 Gbps | 1 Gbps | 1 Gbps |
| Number of LAN Ports | 3 | 3 | 4 |
| Coverage | 2,700 sq. ft. | 2,600 sq. ft. | 2,000 sq. ft. |
| Functionality | | | |
| Security Protocol | WPA2/WPA3 | WPA2/WPA3 | WPA2/WPA3 |
| D-Link Wi-Fi Mesh | • | • | |
| Access Control | | Parental Controls/ Guest Zone | |
| Operation Modes | Router/ Extender/ Bridge | Router/ Extender/ Bridge | Router/ Extender/ Bridge |
| AI Assistant | • | • | • |
| AI Wi-Fi Optimizer | • | • | • |
| AI Traffic Optimizer | • | • | • |
| Software | | | |
| Device Management | | EAGLE PRO AI App / Web UI | |
| Voice Assistants | Amazon Alexa/ Google Assistant | | |

| Model | R04 | R03 | E15 | |
|----------------------|---|---|---|--|
| Product Image | | | () | |
| General | | | | |
| Product Category | Wi-Fi Router | Wi-Fi Router | Wi-Fi Range Extender | |
| Wireless Standard | Wi-Fi 4 N300 | Wi-Fi 4 N300 | Wi-Fi 6 AX1500 | |
| Wireless Speed | 2.4GHz up to 300 Mbps | 2.4GHz up to 300 Mbps | 2.4GHz up to 300 Mbps 5GHz up to 1201 Mbps | |
| Antenna Type | 3 x 2.4GHz External | 2 x 2.4GHz External | 2 x (2.4GHz/5GHz) External | |
| Ethernet Ports | 1 x 10/100 Mbps WAN Port 4 x 10/100 Mbps LAN Ports | 1 x 10/100 Mbps WAN Port 4 x 10/100 Mbps LAN Ports 1 x Gigabit LAN Port | | |
| WAN Speed | 10/100 Mbs | 10/100 Mbs | - | |
| Number of WAN Ports | 1 | 1 | - | |
| LAN Speed | 10/100 Mbs | 10/100 Mbs 1 Gbps | | |
| Number of LAN Ports | 4 | 4 1 | | |
| Coverage | 1,800 sq. ft. | 1,500 sq. ft. | 2,300 sq. ft. | |
| Functionality | | | | |
| Security Protocol | WPA2/WPA3 | WPA2/WPA3 | WPA2/WPA3 | |
| D-Link Wi-Fi Mesh | • | • | • | |
| Access Control | | Parental Controls / Guest zon | е | |
| Operation Modes | Router/ Extender/ Bridge | Router/ Extender/ Bridge | Access Point / Extender | |
| AI Assistant | • | • | • | |
| AI Wi-Fi Optimizer | • • | | • | |
| AI Traffic Optimizer | • • | | | |
| Software | | | | |
| Device Management | EAGLE PRO AI App / Web UI | | | |
| Voice Assistants | | Amazon Alexa / Google Assista | ant | |



Home IoT

Step into the future of smart living with an ecosystem of intelligent IoT devices designed to enhance convenience, security, and efficiency. From smart plugs to sensors, these cutting-edge solutions seamlessly integrate with your network, enabling effortless automation and real-time control, offering smarter, safer, and more connected than ever.





Smart Plug



Wi-Fi Smart Plug PM-01M

- Matter certified
- Wi-Fi connection
- Outlet on/off, schedule, timer control
- Current power, power usage monitoring
- Managed via AQUILA PRO AI app


| Model | F | PM-01M / US | | PM-01M / EU |
|-------------------------|--------------------------------|-------------|------------|-------------|
| Product Image | | 1,1 | | |
| General | | | | |
| Product Category | Smart Plug | | Smart Plug | |
| Power Input | 120V/15A | | 230V/16A | |
| Maximum Load | 1800W | | 3680W | |
| Wi-Fi | Wi-Fi 2.4G | | Wi-Fi 2.4G | |
| Bluetooth Low Energy | BLE 5.0 | | BLE 5.0 | |
| Functionality | | | | |
| Remote on/off | • | | • | |
| Power Monitor | • | | • | |
| Automatic Scheduling | • | | • | |
| Software | | | | |
| Device Management | AQUILA PRO AI App | | | |
| Voice Assistants | Amazon Alexa/ Google Assistant | | | |
| Matter Certified | • | • | | |





Wi-Fi Camera

Redefine home security with our advanced Wi-Fi cameras, engineered for clarity, intelligence, and reliability. Featuring high-definition video, AI-powered motion detection, and seamless app integration, these cameras provide real-time monitoring and instant alerts. Whether keeping an eye on your home or loved ones, our cameras deliver reliable protection and peace of mind, anytime, anywhere.





Outdoor Camera



2K QHD Outdoor Wi-Fi Camera (CF-03)

- 2K QHD resolution
- 11ac Wi-Fi connection
- Color night vision
- Person, vehicle, glass breaking sound detection
- Two-way audio



2K QHD Outdoor Wi-Fi Camera (DCS-8620LH)

- 2K QHD resolution
- 11ac Wi-Fi connection
- Color night vision
- Person, vehicle, glass breaking sound detection
- Two-way audio

Indoor Camera



2K QHD Pan & Tilt Wi-Fi Camera DCS-8526LH Product Version: B1

- 2K QHD resolution
- 11ac Wi-Fi connection
- Color night vision
- Person, CO and smoke alarm sound detection
- Two-way audio



2K Pan & Tilt Wi-Fi Camera DCS-6501LH Product Version: C1

- 2K resolution
- 11ax Wi-Fi connection
- 8M IR night vision
- Motion and sound detection
- Two-way audio



Compact Full HD Pan & Tilt Wi-Fi Camera DCS-6501LH Product Version: B1

- Full HD resolution
- 11n Wi-Fi connection
- 5M IR night vision
- Motion and sound detection
- Two-way audio



2K QHD Indoor Wi-Fi Camera (DCS-8350LH)

- 2K QHD resolution
- 11ac Wi-Fi connection
- Color night vision
- Person, CO and smoke alarm sound detection
- Two-way audio



Compact Full HD Pan & Tilt Wi-Fi Camera DCS-6500LHV2

- Full HD resolution
- 11n Wi-Fi connection
- 5M IR night vision
- Motion and sound detection
- Two-way audio



Compact Full HD Wi-Fi Camera DCS-6100LHV2

- Full HD resolution
- 11n Wi-Fi connection
- 5M IR night vision
- Motion and sound detection
- Two-way audio


Wi-Fi Camera

| | Model | CF-03 | DCS-8620LH | DCS-8526LH B1 | DCS-6501LH C1 |
|---------------|--------------------------------|-------------------------|-------------------------|---|---|
| Product Imag | ge | | | Name . | |
| General | | | | | |
| Product Cate | gory | Outdoor Wi-Fi Camera | Outdoor Wi-Fi Camera | Indoor Wi-Fi Camera | Indoor Wi-Fi Camera |
| Max. Reslout | ion | 4M/1440P (2560x1440) | 4M/1440P (2560x1440) | 4M/1440P (2560x1440) | 2M/1296P (2304x1296) |
| | D | 107° | 127° | 122° | 107° |
| View Angle | Н | 92° | 108° | 102.5° | 89° |
| | V | 50° | 58° | 55.2° | 48° |
| Support ONV | IF Profile | S/T | S/T | S/T | - |
| Compression | | H.265 / H.264 | H.265 / H.264 | H.265 / H.264 | H.264 |
| Day-n-night | | • | • | • | • |
| Distance for | IR | 5M | 7M | 7M | 8M |
| MIC | | • | • | • | • |
| Speaker | | • | • | • | • |
| 2-Way audio | Half-duplex | • | • | • | • |
| MicroSD | | • | • | • | • |
| | 11n 1x1 | - | - | - | - |
| | 11ax 1x1 | - | - | - | • |
| Wi-Fi | 11ac 1x1 | - | - | • | - |
| | 11ac 2x2 | • | • | - | - |
| Pan & Tilt | | - | - | Pan range: -170° to 170° (total 340°) Tilt range: -10° to 95° (total 105°) | Pan range: -175° to 180° (total 355°) Tilt range: -90° to 90° (total 180°) |
| BLE (Bluetoo | th Low Energy) | • | • | • | - |
| Ethernet | | - | - | - | - |
| Working Tem | perature | -20°C~45°C | -20°C~45°C | 0~40°C | 0~40°C |
| Outdoor Prof | tection | V (IP54) | V (IP65) | - | - |
| Functionality | 1 | | | | |
| Motion Dete | ction | • | • | • | • |
| Sound Detec | tion | • | • | • | • |
| | Auto Tracking | - | - | • | • |
| | Panorama View | - | - | • | • |
| | Person Detection | • | • | • | - |
| IVA/AI | Vehicle Detection | • | • | - | - |
| | CO/Smoke Alarm Detection | - | - | • | - |
| | Glass Break Sound Detection | • | • | - | - |
| | Fall Detection | - | - | - | - |

| | Model | DCS-6501LH B1 | DCS-6500LHV2 | DCS-8350LH | DCS-6100LHV2 |
|----------------|--------------------------------|--|--|-------------------------|-------------------------|
| Product Imag | e | | Pater | e ca | |
| General | | | | | |
| Product Categ | jory | Indoor Wi-Fi Camera | Indoor Wi-Fi Camera | Indoor Wi-Fi Camera | Indoor Wi-Fi Camera |
| Max. Reslouti | ion | 2M/1080P (1920x1080) | 2M/1080P (1920x1080) | 4M/1440P (2560x1440) | 2M/1080P (1920x1080) |
| | D | 95° | 95° | 127° | 120° |
| View Angle | Н | 80° | 80° | 108° | 99° |
| | V | 43° | 43° | 58° | 57° |
| Support ONV | IF Profile | - | - | S/T | - |
| Compression | | H.264 | H.264 | H.265 / H.264 | H.264 |
| Day-n-night | | • | • | • | • |
| Distance for I | R | 5M | 5M | 7M | 5M |
| MIC | | • | • | • | • |
| Speaker | | • | • | • | • |
| 2-Way audio | Half-duplex | • | • | • | • |
| MicroSD | | • | • | • | • |
| | 11n 1x1 | • | • | - | • |
| | 11ax 1x1 | - | - | - | - |
| Wi-Fi | 11ac 1x1 | - | - | • | - |
| | 11ac 2x2 | - | - | - | - |
| Pan & Tilt | | Pan range: -170° to 170° (total 340°) Tilt range: -40° to 50° (total 90°) | Pan range: -170° to 170° (total 340°) Tilt range: -40° to 50° (total 90°) | - | - |
| BLE (Bluetoot | h Low Energy) | • | • | • | - |
| Ethernet | | - | - | - | - |
| Working Tem | perature | 0~40°C | 0~40°C | 0~40°C | 0~40°C |
| Outdoor Prot | ection | - | - | - | - |
| unctionality | , | | | | |
| Motion Detec | tion | • | • | • | • |
| Sound Detect | ion | • | • | • | • |
| | Auto Tracking | • | • | - | - |
| | Panorama View | • | • | - | - |
| | Person Detection | - | - | • | - |
| VA/AI | Vehicle Detection | - | - | - | - |
| | CO/Smoke Alarm Detection | - | - | • | - |
| - | | | | | |
| | Glass Break Sound Detection | - | - | - | - |

Adapter

Unleash the full potential of your devices with high-performance Wi-Fi adapters built for speed, stability, and seamless connectivity. Whether upgrading your laptop and PC's wireless capabilities or ensuring a lagfree experience, these adapters deliver fast, reliable internet access and enhanced online performance with ease.



Wi-Fi USB Adapter



AX1800 Wi-Fi 6 USB Adapter (AX18U)

- Wi-Fi 6 for fast speed
- Plug & play with a USB port
- Foldable antenna design
- Pocket sized for easy mobility
- Wi-Fi backwards compatibility



AC1300 Wi-Fi 5 USB Adapter (AC13U)

- Wi-Fi 5 technology
- 2.4GHz & 5GHz dual-band
- WPA3™ encryption
- · Compact design, space-saving
- Wi-Fi backwards compatibility

PCIe Adapter



AX3000 Wi-Fi 6 PCIe Adapter AX30E

- Wi-Fi 6 technology
- 2.4GHz & 5GHz dual-band
- Two adjustable antenna design
- Supports Bluetooth® 5.3
- WPA3™ encryption



AX900 Wi-Fi 6 USB Adapter

- Wi-Fi 6 for fast speed
- Plug & play with a USB port
- WPA3™ encryption
- Compact design, space-saving
- Wi-Fi backwards compatibility



N300 Wi-Fi 4 USB Adapter (AN3U)

- Wi-Fi 4 technology
- 2.4GHz band
- WPA3™ encryption
- Compact design, space-saving
- Wi-Fi backwards compatibility

25

Adapter

| Model | AX18U | AX9U | AC13U |
|-------------------|--|--|--|
| Product Image | City Control of the C | | |
| General | | | |
| Product Category | Wi-Fi USB Adapter | Wi-Fi USB Adapter | Wi-Fi USB Adapter |
| Wireless Standard | Wi-Fi 6 AX1800 | Wi-Fi 6 AX900 | Wi-Fi 5 AC1300 |
| Wireless Speed | 2.4GHz up to 574 Mbps 5GHz up to 1201 Mbps | 2.4GHz up to 287 Mbps 5GHz up to 574 Mbps | 2.4GHz up to 400 Mbps 5GHz up to 867 Mbps |
| Antenna Type | 2 x (2.4GHz/5GHz)Foldable | 1 x (2.4GHz/5GHz) Internal | 2 x (2.4GHz/5GHz) Internal |
| Functionality | | | |
| Security Protocol | WPA2/WPA3 | WPA2/WPA3 | WPA2/WPA3 |

| Model | AN3U | AX30E |
|-------------------|-----------------------|---|
| Product Image | | |
| General | | |
| Product Category | Wi-Fi USB Adapter | Wi-Fi PCIe Adapter |
| Wireless Standard | Wi-Fi 4 N300 | Wi-Fi 6 AX3000 |
| Wireless Speed | 2.4GHz up to 300 Mbps | 2.4GHz up to 574 Mbps 5GHz up to 2402 Mbps |
| Antenna Type | 2 x 2.4GHz Internal | 2 x (2.4GHz/5GHz) External |
| Functionality | | |
| Security Protocol | WPA2/WPA3 | WPA2/WPA3 |



Product Lists

AQUILA PRO AI

| Product Category | Model | Product Description | Wi-Fi Technology |
|------------------|-------|-------------------------------------|--|
| | M95 | BE9500 Wi-Fi 7 Smart Mesh Router | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) 6GHz: 2x2 (Tx/Rx) |
| | R95 | BE9500 Wi-Fi 7 Smart Router | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) 6GHz: 2x2 (Tx/Rx) |
| Home Wi-Fi | M60 | AX6000 Wi-Fi 6 Smart Mesh Router | 2.4GHz: 4x4 (Tx/Rx) / 5GHz: 4x4 (Tx/Rx) |
| | M30 | AX3000 Wi-Fi 6 Smart Mesh Router | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |
| | E30 | AX3000 Wi-Fi 6 Range Extender | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |
| IoT Gateway | MS30 | AX3000 Wi-Fi 6 IoT Gateway 🛣 matter | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) IoT 2.4GHz: 1x1 (Tx/Rx) |

EAGLE PRO AI

| Product Category | Model | Product Description | Wi-Fi Technology |
|------------------|-------|------------------------------------|---|
| | M32 | AX3200 Wi-Fi 6 Mesh Router | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |
| | M15 | AX1500 Wi-Fi 6 Mesh Router | 2.4GHz: 1x1 (Tx/Rx) |
| | R32 | AX3200 Wi-Fi 6 Smart Router | 2.4GHz: 1x1 (Tx/Rx) |
| | R18 | AX1800 Wi-Fi 6 Smart Router | 2.4GHz: 2x2 (Tx/Rx) |
| Home Wi-Fi | R15 | AX1500 Wi-Fi 6 Smart Router | 2.4GHz: 1x1 (Tx/Rx) |
| | R12 | AC1200 Wi-Fi 5 Smart Router | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |
| | R04 | N300 Wi-Fi 4 Smart Router | 2.4GHz: 2x2 (Tx/Rx) |
| | R03 | N300 Wi-Fi 4 Smart Router | 2.4GHz: 2x2 (Tx/Rx) |
| | E15 | AX1500 Wi-Fi 6 Mesh Range Extender | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |

Home IoT

| Product Category | Model | Product Description | Wi-Fi Technology |
|------------------|--------|---------------------------|--|
| Smart Plug | PM-01M | Wi-Fi Smart Plug ☆ matter | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) 6GHz: 2x2 (Tx/Rx) |

Wi-Fi Camera

| Product Category | Model | Product Description | Wi-Fi Technology |
|------------------|----------------|--|--|
| Outdoor Camera | CF-03 | 2K QHD Outdoor Security Wi-Fi Camera | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |
| Outdoor Camera | DCS-8620LH | 2K QHD Outdoor Wi-Fi Camera | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |
| | DCS-8526LH(B1) | 2K QHD Pan & Tilt Wi-Fi Camera | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) 6GHz: 2x2 (Tx/Rx) |
| | DCS-6501LH(C1) | 2K Pan & Tilt Wi-Fi Camera | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |
| Indoor Camera | DCS-6501LH(B1) | Compact Full HD Pan & Tilt Wi-Fi Camera | 2.4GHz: 1x1 (Tx/Rx) / 5GHz: 1x1 (Tx/Rx) |
| maoor camera | DCS-6500LHV2 | Compact Full HD Pan & Tilt Wi-Fi Camera | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |
| | DCS-8350LH | 2K QHD Indoor Wi-Fi Camera | 2.4GHz: 2x2 (Tx/Rx) |
| | DCS-6100LHV2 | Compact Full HD Wi-Fi Camera | 2.4GHz: 2x2 (Tx/Rx) |

Wi-Fi USB Adapter

| Product Category | Model | Product Description | Wi-Fi Technology |
|-------------------|-------|-----------------------------|---|
| | AX18U | AX1800 Wi-Fi 6 USB Adapter | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |
| W: F: UCD Adoutes | AX9U | AX900 Wi-Fi 6 USB Adapter | 2.4GHz: 1x1 (Tx/Rx) / 5GHz: 1x1 (Tx/Rx) |
| Wi-Fi USB Adapter | AC13U | AC1300 Wi-Fi 5 USB Adapter | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |
| | AN3U | N300 Wi-Fi 4 USB Adapter | 2.4GHz: 2x2 (Tx/Rx) |
| PCIe Adapter | AX30E | AX3000 Wi-Fi 6 PCIe Adapter | 2.4GHz: 2x2 (Tx/Rx) / 5GHz: 2x2 (Tx/Rx) |

D-Link[®]

Information is subject to change without notice. D-Link and the D-Link logo are trademarks or registered trademarks of D-Link. All other third-party marks mentioned herein may be trademarks of their respective owners. Google and Google Home are trademarks of Google LLC. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

Copyright ©2025 D-Link Corporation. All Rights Reserved.

