

| D-Link | | | | | | - 10 | | 2 71 2 | | |
|--------------|----------|---------|-------|------------|-------|------|-----|---------|------|--------------|
| Device Name | Tested | Video | Video | Max | Audio | I/O | PTZ | On-Edge | UPnP | Remarks |
| | Firmware | Format | Ch | Resolution | | Ch | | Motion | | |
| DCS-1100 | 1.00 | MPEG4 | 1 | 640x480 | 1-way | _ | _ | Yes | Yes | Supported by |
| | | M-JPEG | | | | | | | | design |
| DCS-1100L | 1.03 | MPEG4 | 1 | 640x480 | 1-way | _ | _ | Yes | Yes | |
| | | M-JPEG | | | | | | | | |
| DCS-1130 | 1.00 | MPEG4 | 1 | 640x480 | 1-way | _ | _ | Yes | Yes | Supported by |
| | | M-JPEG | | | , | | | | | design |
| DCS-1130L | 1.02 | MPEG4 | 1 | 640x480 | 1-way | _ | _ | Yes | Yes | |
| DCS 1130L | 1.02 | M-JPEG | | 0 10% 100 | 1 way | | | 163 | 103 | |
| DCS-2100 | | H.263 | 1 | 720x576 | 1-way | _ | _ | Yes | Yes | Supported by |
| 200 2100 | | 11.203 | | , 20,370 | 1-way | _ | | Yes | res | design |
| DCS-2100G | | H.263 1 | 1 | 720x576 | 1-way | - | - | Yes | Yes | Supported by |
| DCS-2100G | | 11.203 | 1 | | | | | | | design |
| DCS-2102 | | MPEG4 | 1 | 1280×1024 | 1 | 1/1 | _ | Yes | Yes | Supported by |
| | | M-JPEG | | | 1-way | | | | | design |
| DCS-2103 | | H.264 | 1 | | | | | | Yes | |
| | 1.00 | MPEG4 | | 1280x800 | 1-way | 1/1 | - | Yes | | |
| | | M-JPEG | | | | | | | | |
| DCS-2120(TW) | 0201tw | MPEG4 | 1 | 720x576 | 1-way | 1/1 | _ | Yes | Yes | |
| | | | | | , | _, _ | | | | |
| DCS-2120 | | MPEG4 | 1 | 720x576 | 1-way | - | - | Yes | Yes | Supported by |
| | | | | | | | | | | design |
| DCS-2121 | | MPEG4 | 1 | 1280x1024 | 1-way | 1/1 | 1 - | Yes | Yes | Supported by |
| | | M-JPEG | | | | | | | | design |
| | Refer to | H.264 | | | | | | | | Supported by |
| DCS-2130 | DCS-2103 | MPEG4 | 1 | 1280x800 | 1-way | 1/1 | - | Yes | Yes | design |
| | | M-JPEG | | | | | | | | |
| | | H.264 | | | | | | | | |
| DCS-2210 | 1.00 | MPEG4 | 1 | 1920x1080 | 1-way | 1/1 | - | Yes | Yes | |
| | | M-JPEG | | | | | | | | |
| | Refer to | H.264 | | | | | | | | Supported by |
| DCS-2230 | DCS-2210 | MPEG4 | 1 | 1920x1080 | 1-way | 1/1 | - | Yes | Yes | design |
| | 565 2210 | M-JPEG | | | | | | | | design |
| DCS-3110 | | MPEG4 | 1 | 1280x1024 | 1-way | 1/1 | _ | Yes | Yes | Supported by |
| 505 5110 | | M-JPEG | | 1200/1024 | 1 Way | 1/1 | | 163 | 163 | design |





| | | H.264 | | | | | | | | | | |
|------------|---|---------------------------|-----------|-------------|-------|-----|-----|-----|-----|---------------------|--|--|
| DCS-3112 | 1.00 | MPEG4 | 1 | 1280x1024 | 1-way | 1/1 | - | Yes | Yes | | | |
| | | M-JPEG | | | | | | | | | | |
| DCS-3220 | | MPEG4 | 1 | 720x576 | 1-way | 1/1 | - | Yes | Yes | Supported by design | | |
| DCS-3220G | | MPEG4 | 1 | 720x576 | 1-way | 1/1 | - | Yes | Yes | Supported by design | | |
| DCS-3410 | | MPEG4 M-JPEG | 1 | 704x576 | 1-way | 2/1 | - | Yes | Yes | Supported by design | | |
| DCS-3411 | | H.264 MPEG4 | 1 | 640x480 | 1-way | 2/1 | Yes | Yes | Yes | Supported by design | | |
| Note: | DT7 Support | M-JPEG : pan and tilt onl | <u> </u> | | | | | | | | | |
| Note. | F12 Support | MPEG4 | y. | | | | | | | | | |
| DCS-3415 | 1.00 | M-JPEG | 1 | 640x480 | 1-way | 1/1 | - | Yes | Yes | | | |
| Note: | PTZ Support | | | | | | | | | | | |
| | | MPEG4 | 1 | | | | | | | Supported by | | |
| DCS-3420 | | M-JPEG | | 720x576 | 1-way | 1/1 | - | Yes | Yes | design | | |
| | | H.264 | | | | | | | | | | |
| DCS-3430 | 1.01 | MPEG4 | 1 | 640x480 | 1-way | 2/1 | - | Yes | Yes | | | |
| | | M-JPEG | | | | | | | | | | |
| DCS-3710 | 0.24.06 | MPEG4 M-JPEG | 1 | 1280x960 | 1-way | 2/1 | Yes | Yes | Yes | | | |
| | | H.264 | | | | | | | | | | |
| DCS-3710B1 | 0.02.00 | MPEG4 M-JPEG | 1 | 1280x1024 | 1-way | 2/1 | Yes | Yes | Yes | | | |
| Note: | PTZ is only s | supported by exte | ernal RS- | 485 device. | | | | 1 | • | al " | | |
| | | H.264 | | | | 1 | | | | | | |
| DCS-3715 | 1.00 | MPEG4 | 1 | 1920x1080 | 1-way | 1/1 | Yes | - | Yes | | | |
| | 1 | M-JPEG | ı | | | | | | | | | |
| Note: | On-edge motion will be supported by new camera FW without NVR FW upgrade. | | | | | | | | | | | |
| | PTZ is only s | supported by exte | ernal RS- | 485 device. | | | | | | | | |
| | | H.264 | | | | | | | | | | |
| DCS-3716 | 1.00 | MPEG4 | 1 | 2048x1536 | 1-way | 2/1 | Yes | Yes | Yes | | | |
| | | M-JPEG | | | | | | | | | | |
| Note: | PTZ is only s | supported by external | ernal RS- | 485 device. | | | | | | | | |
| DCS-5211L | 1.00 | MPEG4 | 1 | 1280×800 | 1-way | 1/1 | Yes | Yes | Yes | | | |





| | | H.264 | | | [| | ' | | | I |
|--------------|----------------------|--------------------------|---|---|---------|----------|---------|-----|-----|---------------------|
| | <u> </u> | | | | | \vdash | | | - | Supported by |
| DCS-5220(TW) | | MPEG4 | 1 | 720x576 | 1-way | - | Yes | Yes | Yes | design |
| DCS-5220A | 0200 | MPEG4 | 1 | 720x576 | 1-way | - | Yes | Yes | Yes | |
| DCS-5220B | 2.00 | MPEG4 M-JPEG | 1 | 640x480 | 1-way | - | Yes | Yes | Yes | |
| DCS-5222L | 1.00 | MPEG4 H.264 | 1 | 1280x720 | 1-way | 1/1 | Yes | Yes | Yes | |
| DCS-5230 | 1.00 | MPEG4 M-JPEG | 1 | 1280×1024 | 1-way | 1/1 | Yes | Yes | Yes | |
| DCS-5230L | 1.02 | MPEG4 M-JPEG | 1 | MPEG4: 1024x768 MJPEG: 1280x1024 | 1-way | 1/1 | Yes | Yes | Yes | |
| DCS-5300 | 1.05 | MPEG4 | 1 | 704x576 | 1-way | 1/1 | Yes | Yes | Yes | |
| DCS-5300G | | H.263 | 1 | 720x576 | 1-way | 1/1 | Yes | Yes | Yes | Supported by design |
| DCS-5605 | 1.01, 4023 | H.264 MPEG4 M-JPEG | 1 | 704x480 | 1-way | 1/1 | Yes | Yes | Yes | |
| DCS-5610 | | MPEG4 M-JPEG | 1 | 720x576 | 1-way | 1/1 | Yes | Yes | Yes | Supported by design |
| DCS-5635 | 1.01, 4023 | H.264 MPEG4 M-JPEG | 1 | 704x480 | 1-way | 1/1 | Yes | Yes | Yes | |
| DCS-6110 | 1.00 | M-JPEG | 1 | 720x576 | _ | 1/1 | - | Yes | Yes | |
| DCS-6111 | 1.00 | MPEG4 M-JPEG | 1 | 640x480 | 1-way | 1/1 | - | Yes | Yes | |
| DCS-6112 | 1.2 | H.264 MPEG4 M-JPEG | 1 | 1920×1080 | 1-way | 1/1 | Yes | - | Yes | |
| Note: | | on will be suppo | | new camera FW 485 device. | without | NVR FW | / upgra | de. | | |
| DCS-6112V | Refer to DCS-6112 | H.264 MPEG4 | 1 | 1920x1080 | 1-way | 1/1 | Yes | - | Yes | Supported by design |





| | | M-JPEG | | | | | | | | | | |
|-------------|---|--------------------------|------------|---------------|---------|--------|---------|-----|-----|---------------------|--|--|
| | On-edge motio | n will he suppo | orted by i | new camera FW | without | NVR FV | V ungra | de. | | | | |
| Note: | PTZ is only sup | | | | | | . apg.a | | | | | |
| DCS-6113 | Refer to DCS-6112 | H.264 MPEG4 M-JPEG | 1 | 1920x1080 | 1-way | 1/1 | Yes | - | Yes | Supported by design | | |
| Note: | On-edge motion will be supported by new camera FW without NVR FW upgrade. PTZ is only supported by external RS-485 device. | | | | | | | | | | | |
| DCS-6113V | Refer to DCS-6112 | H.264 MPEG4 M-JPEG | 1 | 1920×1080 | 1-way | 1/1 | Yes | - | Yes | Supported by design | | |
| Note: | On-edge motion will be supported by new camera FW without NVR FW upgrade. PTZ is only supported by external RS-485 device. | | | | | | | | | | | |
| DCS-6410 | 1.00 | MPEG4 M-JPEG | 1 | 704x576 | 1-way | 2/1 | - | Yes | Yes | Supported by design | | |
| DCS-6510 | 1.02 | H.264 MPEG4 M-JPEG | 1 | 640x480 | 1-way | 1/1 | - | Yes | Yes | | | |
| DCS-6511 | 0.08 | H.264 MPEG4 M-JPEG | 1 | 1280×1024 | 1-way | 1/1 | - | Yes | Yes | | | |
| DCS-6616 | Refer to DCS-681XB1 | H.264 MPEG4 M-JPEG | 1 | 720x576 | 1-way | 1/1 | Yes | Yes | Yes | Supported by design | | |
| DCS-6620 | 1.05 | MPEG4 M-JPEG | 1 | 704x576 | 1-way | 1/1 | Yes | Yes | Yes | | | |
| DCS-6620G | 1.05 | MPEG4 M-JPEG | 1 | 720x576 | 1-way | 1/1 | Yes | Yes | Yes | | | |
| DCS-6815 B1 | 1.00.12 | H.264 MPEG4 M-JPEG | 1 | 720x576 | 1-way | 1/1 | Yes | Yes | Yes | Supported by design | | |
| DCS-6817 B1 | 1.00.12 | H.264 MPEG4 M-JPEG | 1 | 720x576 | 1-way | 1/1 | Yes | Yes | Yes | | | |
| DCS-6818 B1 | 1.00.12 | H.264 MPEG4 M-JPEG | 1 | 720x576 | 1-way | 1/1 | Yes | Yes | Yes | Supported by design | | |
| | | | | | | | | | | | | |





| ĺ | I | İ | I | l | I | I | I | İ | I | <u> </u> | | |
|----------|--|-------------------|----------|-----------------------|------------|----------|---------|---------------|-----------|-------------------|--|--|
| | | H.264 | | | | | | | | | | |
| DCS-7110 | 1.01 | MPEG4 | 1 | 1280x800 | 1-way | 1/1 | Yes | - | Yes | | | |
| | | M-JPEG | | | | | | | _ | | | |
| Note: | On-edge motion is supported by new camera FW which is above that 1.01. | | | | | | | | | | | |
| 200 7410 | 1 20 | MPEG4 | | 7042576 | 1 | 3/1 | V-2 | Vac | V-00 | | | |
| DCS-7410 | 1.00 | M-JPEG | 1 | 704x576 | 1-way | 2/1 | Yes | Yes | Yes | | | |
| | | MPEG4 | | | | | | | | Supported by | | |
| DCS-7510 | 1.00 | M-JPEG | 1 | 704x576 | 1-way | 2/1 | - | Yes | Yes | design | | |
| Note: | PTZ Support: | pan and tilt only | y. | <u> </u> | | | | | | | | |
| | | | | | | | | | | Supported by | | |
| DCS-900 | 1.00 | MPEG4 | 1 | 640x480 | 1-way | _ | - | - | Yes | design | | |
| | | | | | | | | | | Supported by | | |
| DCS-910 | 1.00 | MPEG4 | 1 | 640x480 | - | - | - | - | Yes | design | | |
| | | | | | | | | | | Supported by | | |
| DCS-920 | 1.00 | M-JPEG | 1 | 640x480 | - | - | - | - | Yes | design | | |
| | | | | | | | | | | uesigi. | | |
| DCS-930 | 1.01 | M-JPEG | 1 | 640x480 | 1-way | _ | - | Yes | Yes | | | |
| | | | | | | | | | | Supported by | | |
| DCS-930L | 1.01 | M-JPEG | 1 | 640x480 | 1-way | - | - | Yes | Yes | design | | |
| - 22 222 | 1 00 | 11 1050 | | C40400 | 1 | | | V-5 | | | | |
| DCS-932 | 1.00 | M-JPEG | 1 | 640x480 | 1-way | - | - | Yes | Yes | | | |
| DCS-932L | 1.00 | M-JPEG | 1 | 640x480 | 1-way | - | - | Yes | Yes | | | |
| | | | = | V . L . | | | | | | | | |
| DCS-940L | 1.0.22 | H.264 | 1 | 640x480 | 1-way | _ | - | Yes | Yes | | | |
| | | M-JPEG | | | | | | | | | | |
| | | H.264 | | | | | | | | | | |
| DCS-942L | 1.00, 0522 | MPEG4 | 1 | 640x480 | 1-way | - | - | Yes | Yes | | | |
| | | M-JPEG | | | | | | | | A | | |
| Nata | When "PIR" is | enabled, systen | n cannot | get motion dete | ction corr | ectly; r | eed car | mera manufact | urer's he | elp to check this | | |
| Note: | part, or at lea | st do not defaul | t PIR as | enabled. | | | | | | | | |
| - 02 050 | | 110504 | | 510, 400 | | | | | | Supported by | | |
| DCS-950 | | MPEG4 | 1 | 640x480 | 1-way | - | - | - | Yes | design | | |
| | | | | | | | | | | Supported by | | |
| DCS-950G | | MPEG4 | 1 | 640x480 | 1-way | - | - | - | Yes | design | | |
| | | | | | | | | | | Supported by | | |
| DCS-G900 | | M-JPEG | 1 | 640x480 | - | - | - | - | Yes | design | | |
| | | | | | | | | | | Supported by | | |
| DVS-104 | | M-JPEG | 4 | 720x576 | - | 4/2 | - | Yes | Yes | design | | |
| | | | | | | | | | | uesigii | | |





| DVS-210-1 | 1.00.01 | MPEG4 M-JPEG | 1 | 720x576 | 1-way | 2/1 | Yes | Yes | Yes | |
|-----------|---------|--------------------------|---|---------|-------|-----|-----|-----|-----|---------------------|
| DVS-301 | | H.263 | 1 | 704x576 | 1-way | 1/1 | - | Yes | Yes | Supported by design |
| DVS-310-1 | 1.01 | H.264 MPEG4 M-JPEG | 1 | 720x576 | 1-way | 2/1 | Yes | Yes | Yes | |

