


D-Link NVR supported brands

(FW version: V1.10)

DNS-722-4: D-Link

DNS-726-4: D-Link, Axis, Panasonic, Sony, Mobotix, Arecont Vision, IQinVision, Cisco and ACTi

Remark: DNS-722-4 doesn't support DI/DO function.

D-Link											
											
Device Name	Tested Firmware	Hardware Ver.	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	Motion Detection	UPnP	Remarks
DCS-1100	1.00	A1 A2	MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	Supported by design
DCS-1130	1.00	A1 A2	MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	Yes	Supported by design
DCS-2100		A1	H.263	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
DCS-2100G		A1	H.263	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
DCS-2102		A1 A2	MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
DCS-2120 (TW)	0201tw	B1	MPEG4	1	720x576	One-way	1/1	No	Yes	Yes	
DCS-2120		A2	MPEG4	1	720x576	One-way	0/0	No	Yes	Yes	Supported by design
DCS-2121		A1 A2	MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
DCS-3110		A1 A2	MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
DCS-3220		A2	MPEG4	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
DCS-3220G		B2	MPEG4	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
DCS-3410		A1 A2	MPEG4 M-JPEG	1	704x576	One-way	2/1	No	Yes	Yes	Supported by design
DCS-3411		A1 A2 A3	MPEG4 M-JPEG H.264	1	640x480	One-way	2/1	Yes	Yes	Yes	Supported by design
Note:	PTZ Support: pan and tilt only.										
DCS-3415	1.00	A1 A2 A3	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	
Note:	PTZ Support: zoom only.										
DCS-3420		A2	MPEG4 M-JPEG	1	720x576	One-way	1/1	No	Yes	Yes	Supported by design
DCS-3430	1.01	A1 A2 A3	MPEG4 M-JPEG H.264	1	640x480	One-way	2/1	No	Yes	Yes	
DCS-3710	0.24.06	A1	MPEG4 M-JPEG	1	1280x960	One-way	2/1	Yes	Yes	Yes	
DCS-5220 (TW)		A2	MPEG4	1	640x480	One-way	0/0	Yes	Yes	Yes	Supported by design
DCS-5220	0200	B1	MPEG4 MJPEG	1	640x480	One-way	0/0	Yes	Yes	Yes	
DCS-5230	1.00	A1	MPEG4 M-JPEG	1	1280x1024	One-way	1/1	Yes	Yes	Yes	
DCS-5300	1.05	A3 A4	MPEG4	1	704x576	One-way	1/1	Yes	Yes	Yes	
DCS-5300G		B2	H.263	1	720x576	One-way	1/1	Yes	Yes	Yes	Supported by design
DCS-5610		A1 A2	MPEG4 M-JPEG	1	720x576	One-way	1/1	Yes	Yes	Yes	Supported by design
DCS-5605		A1	H.264 MPEG4 M-JPEG	1	720x576	One-way	1/1	Yes	Yes	Yes	
DCS-5635		A1	H.264 MPEG4 M-JPEG	1	720x576	One-way	1/1	Yes	Yes	Yes	
DCS-6110	1.00	A1 A2	M-JPEG	1	720x576	No	1/1	No	Yes	Yes	

		A3									
DCS-6111	1.00	A1 A2	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	
DCS-6410	1.00	A1 A2	MPEG4 M-JPEG	1	704x576	One-way	2/1	No	Yes	Yes	Supported by design
DCS-6620	1.05	A3	MPEG4 M-JPEG	1	704x576	One-way	0/0	Yes	Yes	Yes	
DCS-6620G	1.05	A4	MPEG4 M-JPEG	1	720x576	One-way	0/0	Yes	Yes	Yes	
DCS-7410	1.00	A1 A2	MPEG4 M-JPEG	1	704x576	One-way	2/1	Yes	Yes	Yes	
DCS-7510	1.00	A1 A2	MPEG4 M-JPEG	1	704x576	One-way	2/1	Yes	Yes	Yes	
Note:	PTZ Support: pan and tilt only.										
DCS-900	1.00	B1 B2	MPEG4	1	640x480	One-way	0/0	No	No	Yes	Supported by design
DCS-910	1.00	A1 A2	MPEG4	1	640x480	One-way	0/0	No	No	Yes	Supported by design
DCS-920		A1 A2	M-JPEG	1	640x480	No	0/0	No	No	Yes	Supported by design
DCS-950		A3	MPEG4	1	640x480	One-way	0/0	No	No	Yes	Supported by design
DCS-950G		A4	MPEG4	1	640x480	One-way	0/0	No	No	Yes	Supported by design
DCS-G900		A1 A2	M-JPEG	1	640x480	No	0/0	No	No	Yes	Supported by design
DVS-104		A1	M-JPEG	4	720x576	No	4/2	No	Yes	Yes	Supported by design
DVS-301		A2	H.263	1	704x576	One-way	1/1	No	Yes	Yes	Supported by design

ACTi



Device Name	Tested Firm-ware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	Motion Detect-ion	UPnP	Remarks
ACD2100	A1D-220-V3.0 8.08-AC	MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	
ACD2200		MPEG4 M-JPEG	4	720x480	One-way	8/8	Yes	Yes	No	Supported by design
ACD2300		MPEG4 M-JPEG	8	720x480	One-way	16/16	Yes	Yes	No	Supported by design
ACD2400	AGD-R2N-V2.0 5.02-AC	MPEG4 M-JPEG	16	720x480	One-way	2/2	Yes	Yes	No	
ACM1231		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM1232		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM1311		MPEG4 M-JPEG	1	720x480	One-way	0/0	No	Yes	No	Supported by design
ACM1431		MPEG4 M-JPEG	1	720x480	One-way	0/0	No	Yes	No	Supported by design
ACM1432		MPEG4 M-JPEG	1	720x480	One-way	0/0	No	Yes	No	Supported by design
ACM3001		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
ACM3211		MPEG4 M-JPEG	1	720x480	One-way	0/0	Yes	Yes	No	Supported by design
ACM3311		MPEG4 M-JPEG	1	720x480	One-way	0/0	Yes	Yes	No	Supported by design
ACM3401		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM3411		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM4100	A1D-220-V3.0 9.14-AC	MPEG4 M-JPEG	1	640x480	One-way	0/0	No	Yes	No	Supported by design
ACM4200		MPEG4 M-JPEG	1	1280x1024	One-way	0/0	No	Yes	No	Supported by design
ACM5001		MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	No	Supported by design
ACM5601	A1D-220-V3.0 8.08-AC	MPEG4 M-JEPG	1	1280x1024	One-way	1/1	No	Yes	No	
ACM5611		MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	No	Supported by design
ACM5711	A1D-220-V3.0	MPEG4	1	720x480	One-way	1/1	No	Yes	No	

	8.08-AC	M-JPEG								
ACM7411		MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	No	
Note:	A1D-220-V3.09.14-AC: There is problem at 160x112 resolution.									
CAM5200		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM5201		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM5221	A1D-M2N-V2.0 8.11-AC	M-JPEG	1	720x480	One-way	1/1	No	Yes	No	
CAM5300		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM5301		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM5321		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM5500		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM6200	A1D-2.07.14-A C	MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6220	A1D-2.07.14-A C	MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6500		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6510	A1D-M2N-V2.0 8.11-AC	M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	
CAM6520		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6600		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6610		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6620		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM6630		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
CAM7100		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7120		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7200		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7220		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7300		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7301		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7320		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7321		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
CAM7322		MPEG4 M-JPEG	1	720x480	One-way	1/1	No	Yes	No	Supported by design
SED2120	A1D-M2N-V2.0 8.11-AC	MPEG4	1	720x480	One-way	0/0	No	Yes	No	
SED2140		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
SED2310Q		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
SED2320Q		MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	Yes	No	Supported by design
SED2400		MPEG4 M-JPEG	2	720x480	One-way	2/2	Yes	Yes	No	Supported by design
SED2420	A1D-220-V3.0 8.08-AC	MPEG4 M-JEPG	2	720x480	One-way	0/0	No	Yes	No	
SED2600		MPEG4 M-JPEG	8	720x480	One-way	16/16	Yes	Yes	No	Supported by design
SED2610		MPEG4 M-JPEG	8	720x480	One-way	16/16	Yes	Yes	No	Supported by design
SED26X0		MPEG4 M-JPEG	8	720x480	One-way	16/16	Yes	Yes	No	Supported by design
Note:	ACD / ACM series cameras do not support FW 3.11.11.									
Note:	Only two I/O are shown on the interface as adding one channel on devices with I/O function.									



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	Motion Detect-ion	UPnP	Remarks
AV1300	64328	M-JPEG	1	1280x1024	No	0/0	No	Yes	No	Supported by design
AV1305	64331	M-JPEG	1	1280x1024	No	0/0	No	Yes	No	
AV2000	64328	M-JPEG	1	1600x1184	No	0/0	No	Yes	No	Supported by design
AV2100	64328	M-JPEG	1	1600x1184	No	0/0	No	Yes	No	Supported by design
AV2105	64331	M-JPEG	1	1600x1184	No	0/0	No	Yes	No	
AV2155	64803	M-JPEG	1	1600x1184	No	0/0	No	Yes	No	
AV3100	64328	M-JPEG	1	2048x1536	No	0/0	No	Yes	No	Supported by design
AV3105	64331	M-JPEG	1	1920x1216	No	0/0	No	Yes	No	
AV3130	61906	M-JPEG	1	2048x1536	No	0/0	No	Need to retest	No	Supported by design
AV5100	61906	M-JPEG	1	2560x1600	No	0/0	No	Yes	No	
AV5105	64331	M-JPEG	1	2560x1600	No	0/0	No	Yes	No	
AV8180	65010	M-JPEG	4	1600x1184	No	0/0	No	Yes	No	Supported by design
AV8185	64803	M-JPEG	4	1600x1200	No	0/0	No	Yes	No	
AV8360	65010	M-JPEG	4	1600x1184	No	0/0	No	Yes	No	Supported by design

Axis



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	Motion Detect-ion	UPnP	Remark
205		M-JEPG	1	640x480	No	0/0	No	Yes	No	Supported by design
206		M-JEPG	1	640x480	No	0/0	No	Yes	Yes	Supported by design
206M		M-JEPG	1	1280x1024	No	0/0	No	Yes	Yes	Supported by design
206W		M-JEPG	1	640x480	No	0/0	No	Yes	Yes	Supported by design
207	4.40	MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	
Note:		Not support audio in M-JPEG								
207MW		MPEG4 M-JEPG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
207W		MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
209FD		MPEG4 M-JEPG	1	640x480	No	0/0	No	Yes	Yes	Supported by design
209FD-R		MPEG4 M-JEPG	1	640x480	No	0/0	No	Yes	Yes	Supported by design
209MFD		MPEG4 M-JEPG	1	1280x1024	No	0/0	Yes	Yes	Yes	Supported by design
209MFD-R		MPEG4 M-JEPG	1	1280x1024	No	0/0	Yes	Yes	Yes	Supported by design
210		MPEG4 M-JEPG	1	640x480	No	1/1		Yes	Yes	Supported by design
210A	4.40	MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	
211		MPEG4 M-JEPG	1	640x480	No	1/1	No	Yes	Yes	Supported by design
211A		MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
211M		MPEG4 M-JEPG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
211W		MPEG4 M-JEPG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
212		MPEG4 M-JEPG	1	640x480	One-way	1/1	Yes	Yes	Yes	Supported by design
213		MPEG4 M-JEPG	1	704x576	One-way	2/3	Yes	Yes	Yes	Supported by design
214	4.33	MPEG4	1	704x480	One-way	1/1	Yes	Yes	Yes	

		M-JPEG								
215		MPEG4 M-JPEG	1	704x576	One-way	1/1	Yes	Yes	Yes	Supported by design
216FD		MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
216FD-V		MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
216MFD		MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
216MFD-V		MPEG4 M-JPEG	1	1280x1024	One-way	1/1	No	Yes	Yes	Supported by design
221		MPEG4 M-JPEG	1	640x480	No	2/1	No	Yes	Yes	Supported by design
223M		MPEG4 M-JPEG	1	1600x1200	One-way	2/1	No	Yes	Yes	Supported by design
225FD		MPEG4 M-JPEG	1	640x480	No	2/1	No	Yes	Yes	Supported by design
231D		MPEG4 M-JPEG	1	704x576	No	4/4	Yes	Yes	Yes	Supported by design
232D		MPEG4 M-JPEG	1	704x576	No	4/4	Yes	Yes	Yes	Supported by design
233D		MPEG4 M-JPEG	1	704x576	One-way	4/4	Yes	Yes	Yes	Supported by design
240Q		M-JPEG	4	704x576	No	4/4	No	Yes	Yes	Supported by design
241Q		MPEG4 M-JPEG	4	704x576	No	4/4	No	Yes	Yes	Supported by design
241QA	4.30	MPEG4 M-JPEG	4	704x576	One-way	4/4	No	Yes	Yes	
241S		MPEG4 M-JPEG	1	704x576	No	4/4	No	Yes	Yes	Supported by design
241SA		MPEG4 M-JPEG	1	704x576	One-way	4/4	No	Yes	Yes	Supported by design
242S		MPEG4 M-JPEG	1	704x576	No	4/4	No	Yes	Yes	Supported by design
243Q		MPEG4 M-JPEG	1	704x576	No	1/1	No	Yes	Yes	Supported by design
243SA		MPEG4 M-JPEG	1	704x576	One-way	4/4	No	Yes	Yes	Supported by design
247S		MPEG4 M-JPEG	1	704x576	One-way	1/1	No	Yes	Yes	Supported by design
M1011	5.00	MPEG4 M-JPEG H.264	1	640x480	No	0/0	No	Yes	Yes	
M1011-W	5.00	MPEG4 M-JPEG H.264	1	640x480	No	0/0	No	Yes	Yes	
M1031-W	5.00	MPEG4 M-JPEG H.264	1	640x480	No	0/0	No	Yes	Yes	
M3011	5.00	MPEG4 M-JPEG H.264	1	640x480	No	0/0	No	Yes	Yes	Supported by design
P3301	5.01	M-JPEG H.264	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
P3301-V		M-JPEG H.264	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
Q1755	5.02	M-JPEG H.264	1	1920x1080	No	1/1	Yes	Yes	Yes	
Note:	M-JPEG: Due to the HW constraints, the frame rate and audio will be impacted if resolution and quality are high.									
Q7401		M-JPEG H.264	1	704x576	One-way	2/2	Yes	Yes	Yes	Supported by design
Q7406		M-JPEG H.264	6	704x576	No	1/1	Yes	Yes	Yes	Supported by design

Cisco



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	Motion Detect -ion	UPnP	Remarks
CIVS-IPC-2500	V1.1.3R15	MPEG4 M-JPEG	1	720x480	One-way	2/2	No	No	Yes	
CIVS-IPC-2500W	V1.1.3R03	MPEG4 M-JPEG	1	720x480	One-way	2/2	Yes	No	Yes	
PVC-300	1.0.0	MPEG4	1	640x480	One-way	1/1	Yes	Yes	Yes	Supported

		M-JPEG								by design
--	--	--------	--	--	--	--	--	--	--	-----------

Note: PTZ is only supported by external RS-485 device.

IQinVision



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	Motion Detection	UPnP	Remarks
IQ042S	V3.0/2	M-JPEG	1	1280x1024	No	0/0	No	Yes	No	
IQA25S	V2.9/6	M-JPEG	1	1280x1024	No	4/4	No	No	No	
IQeye301		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye301m		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye301w		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye302		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye302w		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye303		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye303w		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye501		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	
IQeye510	B2.8/608	M-JPEG	1	752x480	No	0/0	No	Yes	No	
IQeye511	V2.8/6	M-JPEG	1	1280x1024	No	0/0	No	Yes	No	
IQeye601		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye602		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye603		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye701	V2.8/6	M-JPEG	1	1280x1024	No	1/1	No	Yes	No	
IQeye702	V2.8/6	M-JPEG	1	1600x1200	No	1/1	No	Yes	No	
IQeye703	V2.8/6	M-JPEG	1	2048x1536	No	1/1	No	Yes	No	
IQeye705	V2.8/6	M-JPEG	1	2560x1920	No	1/1	No	Yes	No	
IQeye751		M-JPEG	1	1280x1024	No	1/1	No	Yes	No	Supported by design
IQeye752	V2.8/6	M-JPEG	1	1600x1200	No	1/1	No	Yes	No	
IQeye753		M-JPEG	1	2048x1536	No	1/1	No	Yes	No	Supported by design
IQeye755	V2.8/6	M-JPEG	1	2560x1920	No	1/1	No	Yes	No	
IQeye855	V2.8/6	M-JPEG	1	2560x1920	No	1/1	No	Yes	No	

Mobotix



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	Motion Detection	UPnP	Remark
D12D-IT		M-JPEG MxPEG	1	640x480	No	0/0	No	Yes	No	Supported by design
D12D-Sec		M-JPEG MxPEG	1	2048x1536	No	0/0	No	Yes	No	Supported by design
D22M-Basic		M-JPEG MxPEG	1	640x480	No	0/0	No	Yes	No	Supported by design
D22M-IT	MX-V3.4.0.9	M-JPEG MxPEG	1	640x480	No	0/0	No	Yes	No	Supported by design
D22M-Sec		M-JPEG MxPEG	1	2048x1536	No	0/0	No	Yes	No	Supported by design
M10D	M10-V2.2.2.17	MJPEG	1	2048x1536	No	0/0	No	Yes	No	
M12D-IT		M-JPEG MxPEG	1	640x480	No	0/0	No	Yes	No	Supported by design
M12D-Sec	MX-V3.4.0.9	M-JPEG MxPEG	1	2048x1536	No	0/0	No	Yes	No	
M12D-Web		M-JPEG MxPEG	1	2048x1536	No	0/0	No	Yes	No	Supported by design
M22M-IT		M-JPEG MxPEG	1	640x480	No	0/0	No	Yes	No	Supported by design
M22M-Sec		M-JPEG MxPEG	1	2048x1536	No	0/0	No	Yes	No	Supported by design

Q22M-Basic		M-JPEG MxPEG	1	640x480	No	0/0	No	Yes	No	Supported by design
Q22M-Sec	MX-V3.4.5.10	M-JPEG MxPEG	1	2048x1536	No	0/0	No	Yes	No	Supported by design

Panasonic



PCC

Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	Motion Detection	UPnP	Remarks
BB-HCE481		M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	Supported by design
BB-HCM100	1.3	M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	
BB-HCM110	1.3	M-JPEG	1	640x480	One-way	2/1	Yes	Yes	Yes	
BB-HCM311		M-JPEG	1	640x480	One-way	2/1	Yes	Yes	Yes	Supported by design
BB-HCM331	1.3	M-JPEG	1	640x480	No	2/1	Yes	Yes	Yes	
BB-HCM371		M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	Supported by design
BB-HCM381	1.3	M-JPEG	1	640x480	No	1/1	Yes	Yes	Yes	
BB-HCM403		M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	Supported by design
BB-HCM511	1.3	MPEG4 M-JPEG	1	640x480	One-way	2/1	Yes	Yes	Yes	
BB-HCM515	3.11R01	MPEG4 M-JPEG	1	1280x1024	One-way	2/1	No	Yes	Yes	
Note:	No audio support in M-JPEG format @ 1280x1024.									
BB-HCM527		MPEG4 M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	Supported by design
BB-HCM531	3.51R00	MPEG4 M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	
BB-HCM580		MPEG4 M-JPEG	1	640x480	No	2/1	No	Yes	Yes	Supported by design
BB-HCM581	1.3	MPEG4 M-JPEG	1	640x480	One-way	2/1	Yes	Yes	Yes	
BB-HCS301		M-JPEG	1	640x480	One-way	1/1	No	Yes	Yes	Supported by design
BL-C1		M-JPEG	1	640x480	No	0/0	No	No	Yes	Supported by design
BL-C10		M-JPEG	1	640x480	No	0/0	Yes	No	Yes	Supported by design
BL-C111	3.10R01	MPEG4 M-JPEG	1	640x480	One-way	0/0	Yes	No	Yes	
BL-C131		MPEG4 M-JPEG	1	640x480	One-way	0/0	No	No	Yes	Supported by design
BL-C20		M-JPEG	1	640x480	No	0/0	No	No	Yes	Supported by design
BL-C30		M-JPEG	1	640x480	No	0/0	Yes	No	Yes	Supported by design
KX-HCM110		M-JPEG	1	640x480	One-way	2/1	No	Yes	Yes	Supported by design
KX-HCM280 A		M-JPEG	1	640x480	No	2/1	No	Yes	Yes	Supported by design

SONY



Device Name	Tested Firmware	Video Format	Video Channels	Max Resolution	Audio	I/O Channels	PTZ Support	Motion Detection	UPnP	Remarks
SNC-CM120	1.00	MPEG4 M-JPEG	1	1280x960	One-way	1/2	Yes	Yes	No	
SNC-CS10		MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	No	Supported by design
SNC-CS11	1.05	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	No	
SNC-CS20		MPEG4 M-JPEG	1	768x576	One-way	1/2	No	Yes	No	Supported by design
SNC-CS3		M-JPEG	1	736x480	No	1/2	No	No	No	Supported by design
SNC-CS50	2.21	MPEG4 M-JPEG	1	640x480	One-way	2/2	No	Yes	No	
SNC-DF40	1.17	MPEG4	1	640x480	One-way	1/2	No	Yes	No	

		M-JPEG									
SNC-DF50	1.11	MPEG4 M-JPEG H.264	1	640x480	One-way	1/2	No	Yes	No		
SNC-DF70	1.17	MPEG4 M-JPEG	1	640x480	One-way	1/2	No	Yes	No		
SNC-DF80	1.11	MPEG4 M-JPEG H.264	1	640x480	One-way	1/2	Yes	Yes	No		
SNC-DM110		MPEG4 M-JPEG	1	1280x960	One-way	1/2	No	Yes	No	Supported by design	
SNC-DM160	1.01	MPEG4 M-JPEG	1	1280x960	One-way	1/2	Yes	Yes	No		
SNC-DS10	1.01	MPEG4 M-JPEG H.264	1	768x576	One-way	1/2	No	Yes	No		
SNC-DS60	1.00	MPEG4 M-JPEG	1	640x480	One-way	1/2	No	Yes	No		
SNC-P1	1.28	MPEG4 M-JPEG	1	640x480	One-way	1/1	No	Yes	No		
SNC-P5	1.11	MPEG4 M-JPEG	1	640x480	One-way	2/1	Yes	Yes	No		
SNC-RX530	3.00	MPEG4 M-JPEG H.264	1	640x480	One-way	2/2	Yes	Yes	No		
SNC-RX550		MPEG4 M-JPEG H.264	1	640x480	One-way	2/2	Yes	Yes	No	Supported by design	
SNC-RX570	3.01	MPEG4 M-JPEG H.264	1	640x480	One-way	2/2	Yes	Yes	No		
SNC-RZ25	1.29	MPEG4 M-JPEG	1	640x480	One-way	2/2	Yes	Yes	No		
SNC-RZ30	3.14	M-JPEG	1	736x480	One-way	3/2	Yes	No	No		
SNC-RZ50	2.21	MPEG4 M-JPEG H.264	1	640x480	One-way	2/2	Yes	Yes	No		
SNC-Z20	1.06	M-JPEG	1	736x480	No	1/2	Yes	No	No		
Note:	PTZ Support: zoom only.										
SNT-V704	2.15	MPEG4 M-JPEG	4	720x480	One-way	1/4	No	No	No		